

**MATERIAL SAFETY DATA SHEET**

Finished Product



Date Issued: 01/02/2003

MSDS No: 1743-B

Date Revised: 03/14/2011

Revision No: 10

**Zero Charge Screen & Keyboard Cleaner****1. PRODUCT AND COMPANY IDENTIFICATION**

**PRODUCT NAME:** Zero Charge Screen & Keyboard Cleaner  
**PRODUCT DESCRIPTION:** Zero Charge Screen & Keyboard Cleaner  
**PRODUCT CODE:** 1743/CAN/EUR- 2FP, PT, QT, 50PK  
**ACTIVE INGREDIENT(S):** Water

**MANUFACTURER**

Techspray, L.P.  
 1001 N.W. 1st Street  
 P.O. Box 949  
 Amarillo TX 79107

**Emergency Contact:** Chemtrec  
**Product Stewardship:** 1-800-858-4043  
**Service Number:** 1-800-858-4043

**24 HR. EMERGENCY TELEPHONE NUMBERS**

**CHEMTREC CCN#21858 (US Transportation) :**(800) 424 - 9300  
**CANUTEC (Canadian Transportation) :**(613) 996 - 6666  
**Emergency Phone :**(800) 858 - 4043

**2. HAZARDS IDENTIFICATION****EMERGENCY OVERVIEW**

**IMMEDIATE CONCERNS:** Contains small amounts of methanol, which is harmful if swallowed.

**POTENTIAL HEALTH EFFECTS**

**EYES:** Moderately irritating to the eyes.

**SKIN:** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**SKIN ABSORPTION:** No negative effects anticipated via absorption.

**INGESTION:** Harmful if swallowed --- contains small amounts of methanol.

**INHALATION:** No hazard in normal industrial use.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE**

**EYES:** Symptoms of overexposure include: stinging, tearing, redness and pain.

**SKIN:** Prolonged exposure causes redness, pain, drying and cracking of the skin.

**SKIN ABSORPTION:** None Expected.

**INGESTION:** Ingestion may result in diarrhea and/or nausea.

**INHALATION:** No observable effects of overexposure.

**ACUTE TOXICITY:** Low hazard for usual industrial or commercial handling.

**CHRONIC EFFECTS:** Not Established

**CARCINOGENICITY:** Not Available

**MUTAGENICITY:** Not Established

**REPRODUCTIVE TOXICITY**

# MATERIAL SAFETY DATA SHEET

Finished Product



Date Issued: 01/02/2003

MSDS No: 1743-B

Date Revised: 03/14/2011

Revision No: 10

## Zero Charge Screen & Keyboard Cleaner

**TERATOGENIC EFFECTS:** Contains Methanol which has been established as a teratogen by inhalation. See Sec.11 for details.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS	EINECS
Water	30 - 40	7732-18-5	231-791-2
Ethylbis (hydroxyethyl) tallow alkyl, ethoxylated, Et sulfates	< 1	68071-95-4	
Ethanol	50 - 70	64-17-5	200-578-6
Methanol	8 - 10	67-56-1	200-659-6

### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** If swallowed, do not induce vomiting. If conscious and alert, give two glasses of water. Seek medical attention.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

### 5. FIRE FIGHTING MEASURES

**FLASHPOINT AND METHOD:** (68°F) TAG CC

**FLAMMABLE LIMITS:** 3.5% to 21.0%

**EXTINGUISHING MEDIA:** Water, foam, dry chemical, carbon dioxide.

**HAZARDOUS COMBUSTION PRODUCTS:** Smoke, fumes and oxides of carbon.

**FIRE FIGHTING EQUIPMENT:** As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

**HAZARDOUS DECOMPOSITION PRODUCTS:** None Expected.

### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.

**GENERAL PROCEDURES:** Absorb the liquid and scrub the area with detergent and water.

### 7. HANDLING AND STORAGE

# MATERIAL SAFETY DATA SHEET

Finished Product



Date Issued: 01/02/2003

MSDS No: 1743-B

Date Revised: 03/14/2011

Revision No: 10

## Zero Charge Screen & Keyboard Cleaner

**GENERAL PROCEDURES:** Wash thoroughly after handling. Use only in a well ventilated area. Follow all MSDS/label precautions even after container is emptied because they may retain product residues. Store in a cool dry place.

**HANDLING:** Use with adequate ventilation.

**STORAGE:** Store in a cool place in original container and protect from sunlight.

**STORAGE TEMPERATURE:** Store in adequate storage area at ambient temp.

**STORAGE PRESSURE:** Store at local atmospheric pressure.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Ethanol	TWA	1000 ppm	1900 mg/m <sup>3</sup>	1000 ppm	1880 mg/m <sup>3</sup>	NL	NL
	STEL	NL ppm	NL mg/m <sup>3</sup>	NL ppm	NL mg/m <sup>3</sup>	NL	NL
Methanol	TWA	S 200 ppm <sup>[1]</sup>	260 mg/m <sup>3</sup> <sup>[1]</sup>	S 200 ppm	262 mg/m <sup>3</sup>	NL ppm	NL mg/m <sup>3</sup>
	STEL	250 ppm	310 mg/m <sup>3</sup>	250 ppm	328 mg/m <sup>3</sup>	NL ppm	NL

**OSHA TABLE COMMENTS:**  
1. S = Skin

#### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

**SKIN:** The glove(s) listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection. Viton, Solvex, Butyl, Buna, Neoprene.

**RESPIRATORY:** NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

**PROTECTIVE CLOTHING:** NOT listed

**WORK HYGIENIC PRACTICES:** Wash hands before eating and wash before reuse.

# MATERIAL SAFETY DATA SHEET

Finished Product



Date Issued: 01/02/2003

MSDS No: 1743-B

Date Revised: 03/14/2011

Revision No: 10

## Zero Charge Screen & Keyboard Cleaner

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Alcohol odor

**COLOR:** Yellow to Amber

**pH:** 7.0

**PERCENT VOLATILE:** 99

**VAPOR PRESSURE:** Not Applicable

**VAPOR DENSITY:** Not Available

**BOILING POINT:** 60°C (150°F) (760 mmHg)

**FREEZING POINT:** Not Determined

**FLASHPOINT AND METHOD:** (68°F) TAG CC

**SOLUBILITY IN WATER:** 100

**Notes:** % by weight in water

**EVAPORATION RATE:** Not Established

**DENSITY:** 0.854 at 25°C

**VISCOSITY:** Not Applicable

**MOLECULAR WEIGHT:** Not Applicable

**(VOC):** 541.200 g/L

**Notes:** Non-exempt

### 10. STABILITY AND REACTIVITY

**STABILITY:** Stable.

**POLYMERIZATION:** Will not occur.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of Carbon (CO and CO<sub>2</sub>) may form when heated to decomposition.

**INCOMPATIBLE MATERIALS:** Strong acids and alkalis, reactive metals and strong oxidizing agents.

### 11. TOXICOLOGICAL INFORMATION

**ACUTE**

**MATERIAL SAFETY DATA SHEET**

Finished Product



Date Issued: 01/02/2003

MSDS No: 1743-B

Date Revised: 03/14/2011

Revision No: 10

**Zero Charge Screen & Keyboard Cleaner**

Chemical Name	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
Methanol	6.2 to 12.98 mg/kg	16 g/kg	64000 ppm

**EYES:** Moderately to severely irritating**DERMAL LD<sub>50</sub>:** Mildly to moderately irritating.**SKIN ABSORPTION:** Not Established**ORAL LD<sub>50</sub>:** Oral - Rat LD50:5045 mg/kg for 2-propanol. Oral Rat LD50: 5628 mg/kg for methanol.**INHALATION LC<sub>50</sub>:** Inhalaton Rat LC50: 64000 ppm/4H for methanol.**NOTES:** Not Established**EYE EFFECTS:** Mixture is a moderate eye irritant.**SKIN EFFECTS:** Causes irritation to skin.**CHRONIC:** Not Established**SUBCHRONIC:** Not Established**CARCINOGENICITY**

Chemical Name	NTP Status	IARC Status	OSHA Status
Ethanol	NOT LISTED	NOT LISTED	NOT LISTED
Methanol	NOT LISTED	NOT LISTED	NOT LISTED

**IARC:** Not Established**NEUROTOXICITY:** None Expected.**REPRODUCTIVE EFFECTS:** None known.**TERATOGENIC EFFECTS:** Not Established**MUTAGENICITY:** Not Established**12. ECOLOGICAL INFORMATION****ENVIRONMENTAL DATA:** Not Available**ECOTOXICOLOGICAL INFORMATION:** Not Available**13. DISPOSAL CONSIDERATIONS****DISPOSAL METHOD:** Federal, State, and Local laws governing disposal of materials can differ. Ensure

**MATERIAL SAFETY DATA SHEET**

Finished Product



Date Issued: 01/02/2003

MSDS No: 1743-B

Date Revised: 03/14/2011

Revision No: 10

**Zero Charge Screen & Keyboard Cleaner**

compliance with proper authorities before disposal.

**GENERAL COMMENTS:** Dispose of in a manner consistent with federal, state, and local regulations.

**14. TRANSPORT INFORMATION****DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** CONSUMER COMMODITY ORM-D

**REPORTABLE QUANTITY (RQ) UNDER CERCLA:** 5000

**ROAD AND RAIL (ADR/RID)**

**KEMLER NUMBER:** UN1986

**HAZARD CLASS:** 3

**AIR (ICAO/IATA)**

**SHIPPING NAME:** CONSUMER COMMODITY ID8000

**UN/NA NUMBER:** ID8000

**PRIMARY HAZARD CLASS/DIVISION:** 9

**VESSEL (IMO/IMDG)**

**SHIPPING NAME:** Alcohols, flammable, toxic, n.o.s. (ethanol, methanol)

**UN/NA NUMBER:** UN1986

**PRIMARY HAZARD CLASS/DIVISION:** 3.2

**PACKING GROUP:** NA

**NOTE:** Page 3176

**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

**311/312 HAZARD CATEGORIES:** ACUTE

**FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

**313 REPORTABLE INGREDIENTS:** Methanol

**EPCRA SECTION 313 SUPPLIER NOTIFICATION**

Chemical Name	Wt. %	CAS
Methanol	8 - 10	67-56-1

**302/304 EMERGENCY PLANNING**

**EMERGENCY PLAN:** Methanol (#67-56-1)

**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)**

**MATERIAL SAFETY DATA SHEET**

Finished Product



Date Issued: 01/02/2003

MSDS No: 1743-B

Date Revised: 03/14/2011


Revision No: 10

**Zero Charge Screen & Keyboard Cleaner****CERCLA REGULATORY:** Methanol (#67-56-1)

Chemical Name	Wt. %	CERCLA RQ
Methanol	8 - 10	5000 lbs.

**CERCLA RQ:** 5000 lbs**TSCA (TOXIC SUBSTANCE CONTROL ACT)**

Chemical Name	CAS
Water	7732-18-5
Ethanol	64-17-5
Methanol	67-56-1

**TSCA STATUS:** All components of this product are either listed or exempt from listing in the TSCA inventory.**OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)****29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS****CHEMICALS:** None of the chemicals in this product are considered highly hazardous by OSHA.**CALIFORNIA PROPOSITION 65:** This product does not contain any chemicals known to the State of California to cause cancer.**RCRA STATUS:** U154 D001**OSHA HAZARD COMM. RULE:** Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.**16. OTHER INFORMATION****APPROVED BY:** Pierce A. Pillon     **TITLE:** Chemist**PREPARED BY:** Steve Cook**REVISION SUMMARY:** Revision #: 10. This MSDS replaces the March 12, 2008 MSDS., Any changes in information are as follows: In Section 1: CommentsIn Section 15: EEC Symbol Id., EEC Risk Phrase Codes**NFPA CODES**

# MATERIAL SAFETY DATA SHEET

Finished Product



Date Issued: 01/02/2003

MSDS No: 1743-B

Date Revised: 03/14/2011

Revision No: 10

## Zero Charge Screen & Keyboard Cleaner

---

**DATA SOURCES:** Code of Federal Regulations (CFR) The Sigma-Aldrich Library of Regulatory and Safety Data OSHA Hazard Communication Standard (29CFR1910.1200) Various Federal, State and Local Regulations

**MANUFACTURER DISCLAIMER:** To the best of our knowledge, the information contained herein is accurate. However, neither Tech Spray, L.P., or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.