

## **Technical Data Sheet**

Rev. D (6/22) Page 1 of 2

### Aviation 2000 Maintenance Cleaner Product# 2859

#### **Product Description**


Aviation 2000 Cleaner Degreaser is an aviation cleaner that quickly blasts soils, grease, and residues from aircrafts, engine housings and parts, avionic components, or can be used as an electronic contact and plug cleaner for non-energized equipment. This high-pressure aerosol formulation is ideal for quickly spraying areas clean to effectively flush soils away. Excellent wetting action lifts and removes soils from the tightest areas. Aviation 2000 Cleaner Degreaser is also ideal for removing carbonization, oxidized oils and greases from metal surfaces.

#### **Specifications**

- Airbus AIMS09-00-002
- Boeing BSS7432 for Solvent Cleaners; General Cleaning, which supersedes D6-17487
- Douglas CSD No.1
- Delta Process Standard 900-1 No. 07
- Delta call-out #032202071

#### **Features / Benefits**

- Removes encrusted dirt, carbonized residue, grease, Skydrol residue, silicone and other contaminants
- Trigger allows for greater control of spray, providing a throttling action for better controlled cleaning
- 360° valve sprays upside-down
- Moderate evaporation for soak-in time
- Zero residue
- Low odor
- Extension tube included for pin-point accuracy
- Low toxicity does not contain n-propyl bromide
- Contains no CFCs, HCFCs or chlorinated solvents
- Meets EU F-gas requirements



#### **Typical Product Data and Physical Properties**

Physical State		Liquid
Odor		Hydrocarbon
Color		Clear
Percent Volatile		100
Flash Point (Method)		45° F (7.2° C)
KB Value		29
Specific Gravity		0.72
Boiling Point		239° F (115° C) Initial
Evaporation Rate		>1
(butyl acetate=1)		
VOC Content*	EPA	97%
	SCAQMD	679 g/L
RoHS		Yes
Shelf life		5 years

<sup>\*</sup> Volatile Organic Compound (VOC) information is calculated on a weight basis using the VOC definition of California Air Resources Board (CARB) Consumer Product Regulations, South Coast Air Quality Management District (SCAQMD) Rule 102 and the Federal definition published in 40 CFR 51.100(s).



# **Technical Data Sheet**

Rev. D (6/22) Page 2 of 2

## Aviation 2000 Maintenance Cleaner Product# 2859

#### **Material Compatibility**

Material Name	Plastics Compatibility
ABS	Excellent
Buna-N	Excellent
EPDM	Excellent
Graphite	Excellent
HDPE	Excellent
Kynar	Excellent
LDPE	Excellent
Lexan / Polycarbonate	Excellent
Neoprene	Excellent
Noryl	Excellent
Nylon 6/6	Excellent
Polyethylene	Excellent
Polypropylene	Excellent
Polystyrene	Excellent
PVC	Excellent
Silicone Rubber	Excellent
Teflon	Excellent
Viton	Excellent

#### **Usage Instructions**

De-energize equipment. Make sure opening of spray head is pointing toward surface to be cleaned. Hold can 4-6 inches away. Direct spray to saturate soiled surface. A TechBrush™ (2000 Series) may be utilized to help in the removal of heavy soils. Start at top of area to be cleaned using a sweeping motion, and spray the area slowly, working towards the bottom. To clean in hard to reach areas, insert extension tube in spray head to direct spray. Allow components to dry completely before applying current. Allow liquid to dry before supplying power. For flat surface cleaning, saturate a lint-free maintenance wipe and wipe surface with cloth. Rotate the cleaning side of the wipe periodically and re-saturate.

#### **Packaging and Availability**

**2859-19S** 13 oz (369 g) aerosol

#### **Environmental Policy**

Techspray® is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

#### Resources

Techspray® products are supported by global sales, technical and customer services resources.

For additional technical information on this product or other Techspray® products in the United States, call the technical sales department at 800-858-4043, email tsales@techspray.com or visit our web site at: www.techspray.com.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray® be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.



Techspray® 8125 Cobb Center Drive Kennesaw, GA 30152 800-858-4043 tsales@techspray.com

#### Europe

ITW Contamination Control BV Saffierlaan 5, 2132 VZ Hoofddorp The Netherlands +31 88 1307 400 info@itw-cc.com

### Countries outside the US

Call to locate a distributor in your country